

**MINIMUM REQUIRED OPERATING PRESSURE AND MAXIMUM ALLOWABLE
OPERATING PRESSURE AT ENTRY POINTS**

No	Entry Point	Minimum Required Operating Pressure (kPag)	Maximum Allowable Operating Pressure (kPag)
1	Tambun Tulang CGS	1793	2483
2	Pokok Sena CGS		
3	Sg. Petani CGS		
4	Pondok Labu (Kulim) CGS		
5	Kulim Hi Tech CGS		
6	Ayer Puteh (Junjong) CGS		
7	Prai CGS		
8	Parit Buntar CGS		
9	Kamunting CGS		
10	Ayer Tawar (Sitiawan) CGS		
11	Tronoh CGS		
12	Hutan Melintang CGS		
13	Merbau CGS		
14	Bestari Jaya (Batang Berjantai) CGS	1793	2483
15	Kapar CGS		
16	Meru CGS		
17	Shah Alam CGS		
18	Batu Tiga (Glenmarie) CGS		
19	Puchong CGS		
20	Serdang CGS		
21	Dengkil CGS		
22	Bandar Baru Nilai CGS		
23	Seremban CGS		
24	Seremban 2		
25	Tebong CGS	2000	2483
26	Alor Gajah CGS	1793	2483
27	Paya Rumput (Tangga Batu) CGS		
28	Kluang CGS		
29	Kulai CGS		
30	Senai CGS		
31	Plentong CGS		
32	Pasir Gudang CGS		
33	Tanjung Langsat CGS		
34	Kerteh 2 CGS	1793	2483
35	Kerteh 3 CGS		
36	Gambang CGS		
37	Gebeng 2 CGS (TOV 170)		
38	Teluk Kalong CS	340	400
39	Kerteh CGS		
40	Gebeng CGS (34 barg)	3448	3448